Bellows suction cups SI-HD (round)

FSGA 25 SI-HD-65 G1/8-AG

Part no..:10.01.06.04191

https://www.schmalz.ru/10.01.06.04191


Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for the Packaging Industry > Bellows Suction Cups FSGA SI-HD (1.5 Folds) > FSGA 25 SI-HD-65 G1/8-AG

Bellows suction cup (round) with optimal adaptation to uneven surfaces



- Size: 25
- Suction cup material: Silicone SI-HD
- Material hardness [Shore A]: 65 Shore A
- Material characteristics: FDA-compatible
- Nipple material: Aluminum
- Connection: G1/8"-M
- Number of folds: 1.5
- Vacuum connection: G1/8"-M

Design Data



Attribute	Value
d2	9.90 mm
Dmax(S)	26.50 mm
dn	3.50 mm
Ds	22.50 mm
G1	G1/8"-M
H	29 mm
LG1	7.50 mm
SW1	14 mm
Z (Stroke)	9 mm

Note: Acceptable dimensional tolerances for elastomer parts concerning to DIN ISO 3302-1 M3

Technical Data

Attribute	Value
Suction cup material	Silicone SI-HD
Material hardness [Shore A]	65 Shore A
Size	25
Number of folds	1.50
Connection	G1/8-AG
Curve radius (min) (convex)	20 mm
Volume	3.15 cm³

Contact Schmalz
OOO Schmalz | Mozhayskoe highway 165, bdg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru

Bellows suction cups SI-HD (round)

FSGA 25 SI-HD-65 G1/8-AG

Part no..:10.01.06.04191

https://www.schmalz.ru/10.01.06.04191

Suction force (-600mbar)	5.30 N
Pull-off force	17.30 N
Hose diameter (rec.) d	4 mm
Weight	6.40 g
Product family	FSGA

Note: Suction force: The specified suction forces are theoretical values at a vacuum of -0.6 bar and with a dry, smooth and flat workpiece surface - they do not include a safety factor Pull-off force: The pull-off force of the versions made of natural rubber is reduced by about 40% Hose diameter: The recommended hose diameter refers to a hose length of approx. 2 m

Accessories



SPI 25 PEEK

Part no..:10.01.06.03286

Size: 25
Material: Polyetheretherketon

Spare parts



SA-NIP N016 G1/8-AG DN350

Part no..:10.01.06.05735

Nipple family: N 016
Thread G1: G1/8"-M
Length L1: 20 mm
Fitting length: 6 mm
Nominal diameter dn: 3.5 mm
Material: Aluminum

Bellows suction cups SI-HD (round)

FSGA 25 SI-HD-65 G1/8-AG

Part no..:10.01.06.04191

https://www.schmalz.ru/10.01.06.04191



FGA 25 SI-HD-65 N016

Part no..:10.01.06.03245

Size: 25
Suction cup material: Silicone SI-HD
Material hardness [Shore A]: 65 Shore A
Material characteristics: FDA-compatible
Number of folds: 1.5

Contact Schmalz
OOO Schmalz | Mozhayskoe highway 165, bdg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru