Connection set

SET MPL G1/4-IG

Part no..:10.01.27.01757

https://www.schmalz.ru/10.01.27.01757

Home > Vacuum Clamping Technology > Clamping Equipment for Metal and Plastic Processing > Modular Clamping System MPL-ISST-SFM for Metal and Plastics Machining > SET MPL G1/4-IG

Connection set for hose connection



Construction use: Matrix-Plate

Connection: G1/4"-F

Design Data

Spare parts

Connection set

SET MPL G1/4-IG

Part no..:10.01.27.01757

https://www.schmalz.ru/10.01.27.01757



HSV 7 3/2 G1/4-IG

Part no..:10.05.07.00034

Nominal size: 7 mm
Function: 3/2-way valve
Thread G1: G1/4"-F
Pressure range (operating pressure): -0.95 ... 10.00 bar



VSL 10-7 PU MI-TR

Part no..:10.07.09.00084

External diameter D: 10 mm
Internal diameter d: 7 mm
Length max.: 50 m
Material hose: PU
Bending radius min.: 60 mm
Pressure range (operating pressure): -0.95 ... 10.00 bar
Operating temperature: -40 ... 85 °C



ST G1/4-AG 13 MS-V

Part no..:10.08.03.00158

Thread G1: G1/4"-M
Hose diameter (rec.) d: 13 mm
Material: Brass
Surface: nickel plated
Length L: 5.5 mm
Nominal diameter dn: 7.5 mm

Connection set

SET MPL G1/4-IG

Part no..:10.01.27.01757

https://www.schmalz.ru/10.01.27.01757



STV-W G1/4-AG 10

Part no..:10.08.02.00254

Thread G1: G1/4"-M
Hose diameter: 10 mm
Material: Nickel plated
Operating temperature: -20 ... 80 °C
Length L: 27.2 mm



STV-GE G1/4-AG 10

Part no..:10.08.02.00251

Thread G1: G1/4"-M
Hose diameter: 10 mm
Material: Brass
Operating temperature: -20 ... 80 °C
External diameter D: 16.5 mm
Length L: 23.4 mm

Contact Schmalz
OOO Schmalz | Mozhayskoe highway 165, bdg1, 121596 Moscow, Russia | +7 495 9671248 |
post@ruschmalz.ru