

Vacuum Area Gripper


FMHD 1050x250 2R28 O20 G60

Part no.:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>


Home > Vacuum Technology for Automation > Vacuum Components > Area Gripping Systems and End Effectors > Area Gripping Systems FMHD > FMHD 1050x250 2R28 O20 G60

Vacuum area gripping system for external vacuum generator, with ball check valves



Length L: 1,050 mm
Width B: 250 mm
Material type: Foam O, Height 20 mm
construction shape fittings: Pillar straight, Ø60
Weight: 19 kg

Design Data



Attribute	Value
B	250 mm
B1	250 mm
B2	175.50 mm
B3	250 mm
D	60 mm
H	116.70 mm
H1	163.70 mm
H2	20 mm
L	1050 mm
L1	1,057.75 mm
L2	126 mm
L3	138 mm
L4	1004 mm
Y1	120 mm
ZA	28 mm

Accessories

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



FST-STARR 25 HD2 G1/2-AG G3/8-IG

Part no...:10.01.10.07012

Spring stroke Z: 25 mm

Shape mounting elements: Heavy Duty 2 spring plunger

Construction use: Mounting section



FST-STARR 50 HD2 G1/2-AG G3/8-IG

Part no...:10.01.10.07013

Spring stroke Z: 50 mm

Shape mounting elements: Heavy Duty 2 spring plunger

Construction use: Mounting section



FST-STARR 75 HD2 G1/2-AG G3/8-IG

Part no...:10.01.10.07014

Spring stroke Z: 75 mm

Shape mounting elements: Heavy Duty 2 spring plunger

Construction use: Mounting section

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



FST-FLEX 25 HD2 G1/2-AG G3/8-IG

Part no...:10.01.10.07018

Spring stroke Z: 25 mm

Shape mounting elements: Heavy Duty 2 spring plunger

Construction use: Mounting section



FST-FLEX 50 HD2 G1/2-AG G3/8-IG

Part no...:10.01.10.07019

Spring stroke Z: 50 mm

Shape mounting elements: Heavy Duty 2 spring plunger

Construction use: Mounting section



FST-FLEX 75 HD2 G1/2-AG G3/8-IG

Part no...:10.01.10.07020

Spring stroke Z: 75 mm

Shape mounting elements: Heavy Duty 2 spring plunger

Construction use: Mounting section

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



FLK G1/2-IG G1/2-AG

Part no...:10.01.03.00175

Thread G1: G1/2"-F

Thread G2: G1/2"-M

Operating temperature: 0 ... 70 °C



FLK G1/2-IG G1/2-AG V

Part no...:10.01.03.00207

Thread G1: G1/2"-F

Thread G2: G1/2"-M

Operating temperature: 0 ... 70 °C

Shape mounting elements: Reinforced



FLAN-PL 160x120x10 FMHD

Part no...:10.01.10.08805

Length L: 160 mm

Width B: 120 mm

Height H: 10 mm

Construction use: Vacuum area gripping system FMHD

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



FST-C 100-HD1

Part no...:10.01.20.01260

Shape mounting elements: Heavy Duty 1 spring plunger

Spring stroke Z: 100 mm

Weight: 9 kg

Length L: 170 mm

Width B: 170 mm

Height H: 50 mm



MOD-FLAN 157x120 FMHD

Part no...:10.01.11.03187

Length L: 157 mm

Width B: 120 mm

Height H: 64.1 mm

Construction use: Vacuum area gripping system FMHD



VTR-SL 3x RST60

Part no...:10.01.10.02779

Length L: 439 mm

Width B: 100 mm

Height H: 156 mm

Connection: Tube end Ø60

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



VTR-SL 4x RST60

Part no...:10.01.10.03196

Number of connections: 4

Connection: Tube end Ø60

Length L: 439 mm

Width B: 100 mm

Height H: 156 mm



VTR-SL 5x RST60

Part no...:10.01.10.03066

Number of connections: 5

Connection: Tube end Ø60

Length L: 439 mm

Width B: 100 mm

Height H: 156 mm



VSi V D M12-4

Part no...:10.06.02.00580

Measuring range: -1,0 ... 0,0 bar

Construction shape vacuum switch: with display

Electrical connection: Male connect M12, 4 pol

Indication: 2xLED

Protection type IP: IP 65

Contact Schmalz

OOO Schmalz | Mozhayskoe highway 165, bldg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



ASK B-M12-4 5000 K-4P

Part no...:21.04.05.00263

Electrical connection: Fem connect M12, 4 pol

Material hose: PUR cable

Cable length: 5,000 mm



ASK B-M12-5 5000 K-5P

Part no...:21.04.05.00080

Electrical connection: Fem connect M12, 5 pol

Cable length: 5,000 mm

Material hose: PUR cable



VS-MONT 85x21x30.8 VSi SPZ

Part no...:10.01.22.04338

Length L: 85 mm

Width B: 21 mm

Height H: 30.8 mm

Construction use: Schmalz-Palletizer

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



NUT-STEI 55x20 M3-IG

Part no...:10.01.21.04651

Length L: 55 mm

Width B: 20 mm

Height H: 5 mm

Thread G1: M3-F

Spare parts



DI-PL 1003.4x168 2R28 O04 KE

Part no...:10.01.40.00278

Length L: 1,003.4 mm


Width B: 168 mm

Height H: 4 mm

Arrangement suction cells: 2 rows, 28 mm

Add. function: Adhesive tape on one side

Material type: Foam O, Height 4 mm



DI-PL 1003.4x125 2R28 O04 KE

Part no...:10.01.40.00284

Length L: 1,003.4 mm

Width B: 125 mm

Height H: 4 mm

Arrangement suction cells: 2 rows, 28 mm

Add. function: Adhesive tape on one side

Material type: Foam O, Height 4 mm

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



DI-PL 1004x250 2R28 O20

Part no...:10.01.40.00279

Length L: 1,004 mm

Width B: 250 mm

Height H: 20 mm

Arrangement suction cells: 2 rows, 28 mm

Material type: Foam O, Height 20 mm



GEH-DECK 170x45.5x91.7 NC EMV FMHD

Part no...:10.01.40.00021

Length L: 170 mm

Width B: 45.5 mm

Height H: 91.7 mm

Control valve: Normally closed

Add. function: Solenoid valve

Construction use: Vacuum area gripping system FMHD



GEH-DECK 170x22.5x91.7 IMP EMV FMHD

Part no...:10.01.40.00754

Length L: 170 mm

Width B: 22.5 mm

Height H: 91.7 mm

Control valve: Double pilot valve

Add. function: Solenoid valve


Construction use: Vacuum area gripping system FMHD

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



GEH-DECK 170x45.5x91.7 NC EMV FMHD

Part no...:10.01.40.00865

Length L: 170 mm


Width B: 45.5 mm

Height H: 91.7 mm

Control valve: Normally closed

Add. function: Solenoid valve

Construction use: Vacuum area gripping system FMHD



DI-FORM 168.2x85.7x2

Part no...:10.01.40.00013

Length L: 168.2 mm

Width B: 85.7 mm

Height H: 2 mm



EMV 1.1 24V-DC 3/2 NC H

Part no...:10.05.01.00277

Length L: 42 mm

Height H: 20.5 mm

Internal diameter d: 3.2 mm

Voltage DC: 24V - DC


Control valve: Normally closed

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



DI-PL 52.3x41.6 ZEL PU

Part no...:10.01.40.00080


Length L: 52.3 mm

Width B: 41.6 mm

Height H: 2 mm

Material type: Cellular rubber

Sealing material: Polyurethane PU



GEH-DECK 170x36.5x91.7 FMHD


Part no...:10.01.40.00024

Length L: 170 mm

Width B: 36.5 mm

Height H: 91.7 mm

Construction use: Vacuum area gripping system FMHD



GEH-DECK 170x36.5x91.7 FMHD

Part no...:10.01.40.00752

Length L: 170 mm

Width B: 36.5 mm

Height H: 91.7 mm


Construction use: Vacuum area gripping system FMHD

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>




DI-FORM 168.2x85.9x2

Part no...:10.01.40.00014

Length L: 168.2 mm

Width B: 85.9 mm

Height H: 2 mm



ZYL KURZ-ZYL 40x15 FMHD

Part no...:10.01.40.00161

Length L: 15 mm

Construction use: Vacuum area gripping system FMHD



ZYL KOMP-ZYL 40x15 FMHD

Part no...:10.01.40.00800

Length L: 15 mm


Construction use: Vacuum area gripping system FMHD

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



DI-PL 91x114 ZEL PU

Part no...:10.01.40.00150


Length L: 91 mm

Width B: 114 mm

Height H: 2 mm

Material type: Cellular rubber

Sealing material: Polyurethane PU



DI-PL 120x84 ZEL PU

Part no...:10.01.40.00797


Length L: 120 mm

Width B: 84 mm

Height H: 2 mm

Material type: Cellular rubber

Sealing material: Polyurethane PU



DI-FORM 88x88x2

Part no...:10.01.40.00017

Length L: 88 mm

Width B: 88 mm


Height H: 2 mm

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



DI-PL 82.6x82.6 ZEL PU

Part no...:10.01.40.00799

Length L: 82.6 mm

Width B: 82.6 mm

Height H: 2 mm

Material type: Cellular rubber

Sealing material: Polyurethane PU



SET FLGR

Part no...:10.01.40.00023

Length L: 59.7 mm

Width B: 28.5 mm

Height H: 29.2 mm

Construction use: Vacuum area gripping system



VAM 40 V DR BAR

Part no...:10.01.40.00094

Width B: 27 mm

External diameter D: 40 mm

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



SEV 4/2

Part no...:10.05.03.00321

Length L: 39.2 mm

Height H: 14.3 mm

Connection: Hose 4/2



KUG 8.2 5401 A2 G100

Part no...:10.01.40.00102

External diameter D: 8.2 mm

Material: Aust. Stainless steel



MASK-FOL-3000x40x0.19-9.5-FMHD

Part no...:10.01.40.00108

Length L: 3,000 mm

Width B: 40 mm

Height H: 0.19 mm

Internal diameter d: 9.5 mm

Construction use: Vacuum area gripping system FMHD

Vacuum Area Gripper

FMHD 1050x250 2R28 O20 G60

Part no...:10.01.40.00282

<https://www.schmalz.ru/10.01.40.00282>



DR M6 9.5/6.5x1 PA

Part no...:10.07.08.00017

Length L: 1 mm

External diameter D: 9.5 mm

Internal diameter d: 6.5 mm

Material: Polyamide



HUEL 10-6.2x7-FMHD

Part no...:10.01.40.00151

Length L: 7 mm

External diameter D: 10 mm

Internal diameter d: 6.2 mm

Material: Polyamide

Construction use: Vacuum area gripping system FMHD