

Multi-Clamp

VC-M 165x165x220.5

Part no...:10.01.12.01845

<https://www.schmalz.ru/10.01.12.01845>

Home > Vacuum Clamping Technology > Clamping Equipment for Woodworking > Clamping Equipment for Manual Work > Multi-Clamp System VC-M / VC-M-V > VC-M 165x165x220.5

Vacuum clamping system Multi-Clamp with integrated vacuum generation



Length L: 165 mm

Width B: 165 mm


Height H: 220.5 mm

Air consumption: 48 l/min

Air consumption: 2.88 m³/h

Suction rate: 2.3 m³/h

Design Data



Attribute

Value

B 165 mm

H 220.50 mm

L 165 mm

Technical Data

Attribute

Value

Weight

5.76 kg

Accessories

Contact Schmalz

OOO Schmalz | Mozhayskoe highway 165, bldg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru

Multi-Clamp

VC-M 165x165x220.5

Part no...:10.01.12.01845

<https://www.schmalz.ru/10.01.12.01845>



DI-PROF 8x10.5 MOS EPDM-15

Part no...:10.01.12.02056



REIB-INS 8.1x18 VC-M

Part no...:10.01.12.02000

Construction use: Multi-Clamp



VC-M-SP 160x160x30

Part no...:10.01.12.01836

Length L: 160 mm

Width B: 160 mm

Height H: 30 mm

Air consumption: 48 l/min

Air consumption: 2.88 m³/h


Suction rate: 2.3 m³/h

Multi-Clamp

VC-M 165x165x220.5

Part no...:10.01.12.01845

<https://www.schmalz.ru/10.01.12.01845>



VC-M-SP 200x55

Part no...:10.01.12.02003

Length L: 200 mm

Width B: 55 mm

Air consumption: 48 l/min

Air consumption: 2.88 m³/h

Suction rate: 2.3 m³/h



VC-M-SP 210

Part no...:10.01.12.02002

External diameter D: 210 mm

Air consumption: 48 l/min

Air consumption: 2.88 m³/h

Suction rate: 2.3 m³/h



VC-M-SP 300x100

Part no...:10.01.12.02052

Length L: 300 mm

Width B: 100 mm

Air consumption: 48 l/min

Air consumption: 2.88 m³/h

Suction rate: 2.3 m³/h