

Basic Ejector

SBP 20 S03 SDA

Part no.:10.02.01.00567

<https://www.schmalz.ru/10.02.01.00567>




Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Generators > Basic Ejectors > Basic Ejectors SBP > SBP 20 S03 SDA

Basic ejector for universal use



Nozzle diameter: 2 mm
Add. function: Axial silencer
Degree of evacuation: 85 %
Connection: Hose D8(1)-D10(2)
Pressure optimal: 4.5 bar
Suction rate (max.): 127 l/min
Air consumption suction: 197 l/min

Design Data



Attribute	Value
B	20 mm
d	4.20 mm
d1	8 mm
d2	10 mm
D	20 mm
H	39 mm
H1	45.50 mm
H2	5.20 mm
H3	17 mm
L	86.50 mm
L1	168 mm
L2	24.50 mm
L3	5.50 mm
L4	12.50 mm
X1	20 mm

Technical Data

Attribute	Value
Nozzle diameter	2 mm
Degree of evacuation	85 %
Suction rate (max.)	7.60 m³/h

Basic Ejector

SBP 20 S03 SDA

Part no.:10.02.01.00567

<https://www.schmalz.ru/10.02.01.00567>

Suction rate (max.)	127 l/min
Air consumption suction	11.80 m ³ /h
Air consumption suction	197 l/min
Sound level free	77 dB(A)
Sound level suction	68 dB(A)
Pressure range (operating pressure)	3.0 ... 6.0 bar
Pressure optimal	4.50 bar
Recomm. internal hose diameter compressed air	6 mm
Recomm. internal hose diameter vacuum	7 mm
Operating temperature	0 ... 60 °C
Pressure range (operating pressure)	43.5 ... 87.0
Suction rate (max.)	4.48 cfm
Air consumption suction	6.96 cfm
Weight	50 g
Product family	SBP

Note: Air consumption: At optimal operating pressure Hose diameter: For max. length 2 m

Accessories



BEF-PL 110x44.5x3 SBP

Part no.:10.02.01.00511

Length L: 110 mm

Width B: 44.5 mm

Height H: 3 mm

Construction use: Basic ejector SBP

Basic Ejector

SBP 20 S03 SDA

Part no...:10.02.01.00567

<https://www.schmalz.ru/10.02.01.00567>



SET SBP M4-IG

Part no...:10.02.01.00769

Length L: 50 mm

Width B: 14 mm

Construction use: Basic ejector SBP

Type: M4-IG



VFT G1/4-IG 100

Part no...:10.07.01.00120

Connection: G1/4"-F

Shape: Short filter insert

Nominal flow rate: 140 l/min

Nominal flow rate: 8.4 m³/h

Filter pore size: 100 µm

Spare parts



SD G3/8-AG 20x76 SBP

Part no...:10.02.01.00719

Thread G1: G3/8"-M

External diameter D: 20 mm

Length L: 76 mm

Construction use: Basic ejector SBP

Contact Schmalz

OOO Schmalz | Mozhayskoe highway 165, bldg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru