

Suction plate (round)

SGF-HS 150 HT1-60 FM1

Part no.:10.01.01.13490

<https://www.schmalz.ru/10.01.01.13490>

Home > Vacuum Technology for Automation > Vacuum Components > Vacuum Suction Cups > Suction Cups for Handling Glass > Suction Plates SGF > SGF-HS 150 HT1-60 FM1

Flat suction cup (round) for highly dynamic handling of glass



Size: 150


Suction cup material: High temperature material HT1

Material hardness [Shore A]: 60 Shore A

Connection: FM1

Connection: 4x8,7mm LK38,2 90°

Design Data



Attribute	Value
d2	126 mm
d3	70 mm
d5	8.70 mm
dn	14.50 mm
Dmax(S)	165 mm
Ds	148.50 mm
G2	G1/4"-F
H	31.90 mm
H5	6 mm
L2	26.50 mm
LG2	20 mm
X1	27 mm
Y1	27 mm
Z (Stroke)	7.50 mm

Note: Acceptable dimensional tolerances for elastomer parts concerning to DIN ISO 3302-1 M3

Technical Data

Attribute	Value
Suction force (-600mbar)	1060 N
Suction force d2	730 N
Volume	119 cm ³

Contact Schmalz

OOO Schmalz | Mozhayskoe highway 165, bldg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru

Suction plate (round)

SGF-HS 150 HT1-60 FM1

Part no.:10.01.01.13490

<https://www.schmalz.ru/10.01.01.13490>

Curve radius (min) (convex)	700 mm
Hose diameter (rec.) d	9 mm
Size	150
Number of folds	0
Suction cup material	High temperature material HT1
Material hardness [Shore A]	60 Shore A
Weight	360 g
Product family	SGF

Note: Suction force: The specified suction forces are theoretical values at a vacuum of -0.6 bar and with a dry, smooth and flat workpiece surface - they do not include a safety factor Hose diameter: The recommended hose diameter refers to a hose length of approx. 2 m

Accessories



SIEB 27x1 MS-A2 100 100/65

Part no.:10.07.01.00110



TV G1/4-AG 13

Part no.:10.05.10.00061

Thread G1: G1/4"-M

Thread G2: G1/8"-F

Spring stroke Z: 13 mm

Contact Schmalz

OOO Schmalz | Mozhayskoe highway 165, bldg1, 121596 Moscow, Russia | +7 495 9671248 | post@ruschmalz.ru

Suction plate (round)

SGF-HS 150 HT1-60 FM1

Part no...:10.01.01.13490

<https://www.schmalz.ru/10.01.01.13490>



PC 150

Part no...:10.01.01.13087

Size: 150



SU 160

Part no...:10.01.01.12438

Size: 160

Clamping range: 150.0 ... 180.0 mm

Temperature resistance: 80 °C

Spare parts



VRS-S G1/4-AG

Part no...:10.08.06.00048

Thread G1: G1/4"-M

Material: Brass

Surface: nickel plated

Suction plate (round)

SGF-HS 150 HT1-60 FM1

Part no...:10.01.01.13490

<https://www.schmalz.ru/10.01.01.13490>



DR-SGF-HS 150 HT1-60

Part no...:10.01.01.13176

Size: 150

Suction cup material: High temperature material HT1

Material hardness [Shore A]: 60 Shore A

Height H: 25.9 mm